



**DETAIL NOTES:**

1. : LAP SPLICE: *MFS-2-B* : **6"** WIDE
2. : ROOF EDGE: *MFS-1-G*
3. : CURB: *U-5-B; U-9-D*
4. : VENT PIPE: *MFS-8-A; MFS-8-B; MFS-14*

REFERENCE DETAILS: *MFS-2-C; MFS-21-E; MFS-27-A*

MEMBRANE TYPE: *EPDM 60 MIL REINF.* SYSTEM: *MF*

WARRANTY: **10** YEAR MEMBRANE SYSTEM  
**20** YEAR MEMBRANE MATERIAL

SYSTEM TOTAL SQ./FT.: **4,125**  
 ASSEMBLY: **1**; SQ./FT.: **4,125**; ROOF DECK: **WOOD**

MEMBRANE FASTENERS: *SS FASTENERS & SEAM PLATES*  
 SEAM TECHNOLOGY: **6" SECURE TAPE**

FLASHING (TYPE-EFFECTIVE WIDTH x TOTAL LINEAR FEET):  
**18" x 183 LF**

INSULATION TYPE AND THICKNESS:  
 ASSEMBLY: **1**; *CARLISLE WOOD FIBER BOARD*; **1/2" FLAT**

**REVISIONS**

AS A SUPPLIER OF MATERIALS ONLY, CARLISLE SYNTec SYSTEMS DOES NOT ASSUME RESPONSIBILITY FOR ERRORS IN DESIGN, ENGINEERING, QUANTITIES, OR DIMENSIONS. ARCHITECT AND/OR ROOFING CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND SIZES.

**PROJECT TITLE AND LOCATION**

**MID-SOUTH WIRE-CLEANING ROOM**  
 1070 Visco Drive, Nashville, TN 37210  
**Tear Off / Re-Roof**

CARLISLE REPRESENTATIVE: *Exterior Materials*

APPLICATOR: *R.D. Herbert & Sons Co.*  
 1407 3rd Ave N., Nashville, TN 37208

COPYRIGHT © 1994  
 CARLISLE CORPORATION

DRAWN BY: *JLK* DRAWING SCALE: **3/32" = 1'**

DATE: **13 AUGUST 2008** DRAWING #: **C-RP-SPR-01**

APPROVAL: *Carlisle SynTec Systems*

